



# CAYIN

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound, Lighting & Multimedia Solutions  
www.pro-technica.com

Price List 2/2009


Effective February 25, 2009

Subject to change without prior notice.  
All former price lists expire with the publishing of this version.  
All prices are suggested net retail prices; ex works.  
There are applicable our General Terms of Business, only.

## EUR

E C P B R		Model	Description	Articles marked * will be discontinued soon!	
				EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
<b>PLAYERS</b>					
Y H Y N B	SMP-PRO2		<p><b>SMP-PRO2 Digital Signage Media Player</b></p> <p><b>Multimedia Presentation</b> Division-type presentation supporting one background design, one multimedia (video/image) area, two image slide show areas, and one ticker area. Provide a handy tool, Skin Editor, with an intuitive drag-and-drop user interface. Users can define the size and location of each division, including video, image, and ticker, and create skin files for various resolutions.</p> <p><b>Playback Management</b> Support multiple media sources, including hard disk, compact flash card, USB flash disk, USB CD-ROM, internet, and real-time video/uni/multi/broadcast streamed from CMS or other supported streaming servers. Support both standalone playback of video, image slide show, and ticker, and real-time video broadcast, e.g. live TV programs.</p> <p><b>System Management</b> Provide a web-based management and remote update of multimedia content by Network Neighborhood over IP or by centralized content distribution with CMS server or a web server.</p>	<b>Call for price</b>	
Y H Y N B	SMP-PRO3N		<p><b>SMP-PRO3N Digital Signage Media Player.</b></p> <p>SMP-PRON is the same as SMP-PRO3, but no AV-in port !</p>	<b>Call for price</b>	
Y H Y N B	SMP-PRO3		<p><b>SMP-PRO3 Digital Signage Media Player</b></p> <p><b>Multimedia Presentation</b> Zone-type presentation supporting one background design, one multimedia (stored video/streaming video/image/av-in) area, two image slide show areas, one ticker area, and one clock/date area. Provide 15 pre-designed skins and 4 stylish clocks for users to easily create attractive presentations. More skins and clocks can be downloaded from Cayin's partner website periodically.</p> <p><b>Playback Management</b> Support multiple sources for the playback of multimedia files, including internal hard disk, USB flash disk (video only), and real-time video/uni/multi/broadcast streamed from CMS or other supported streaming servers. <b>SMP-PRO3 can even play real-time video (AV-in) by directly connecting to a TV tuner, DVD player, camera, etc.</b> Support to be a standalone player or to work under a server-client structure when incorporating with Cayin CMS server. Administrators can remotely assign live video channels to players located in different sites, and schedule playlists with other media sources.</p> <p><b>System Management</b> Provide a web-based user interface for easy remote control of the settings and playback options of each media player.</p>	<b>Call for price</b>	
Y H Y N B	SMP-PROPLUS (LB 300)		<p><b>SMP-PROPLUS Digital Signage Media Player</b></p> <p>Zone-type presentation supporting one background design, two multimedia (stored video/streaming video/image/music) areas, two image slide show areas, one ticker area, and one clock &amp; date area. Support easy settings of ticker by entering texts directly in the web-based user interface, or feed texts from a text file, URL, or RSS feed. Support most popular video codec and image file formats, such as MPEG 1/2/4, AVI, WMV 7/8/9, WMA, MP3, RAW DV, JPG, GIF, etc.</p> <p><b>Easy Template Creation</b> Provide pre-designed skins and stylish clocks for users to easily create attractive presentations. Provide a handy tool, Skin Editor, with an intuitive drag-and-drop user interface. Users can define the size and location of each zone, including video, image, ticker, and clock, and create skin files for 15 popular resolutions.</p> <p><b>Powerful Remote Management</b> Administrators can manage each player remotely via wired/wireless network.</p> <p><b>Content Update</b> Update multimedia contents by FTP, Network Neighborhood, or by CAYIN CMS server with automatic centralized content update according to the pre-set schedule through the Internet.</p>	<b>Call for price</b>	
Y H Y N B	SMP-WEB3N		<p><b>SMP-WEB3N Digital Signage Media Player</b></p> <p><b>SMP-WEB3N is the same as SMP-WEB3, but no AV-in port !</b></p>	<b>Call for price</b>	

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Y H Y N B	SMP-WEB3	<p><b>SMP-WEB3 Digital Signage Media Player</b></p> <p><b>Multimedia Presentation</b> Web-based presentation; support most popular web languages Support to playback video, Flash® animation, HTML web page, image, and text. It can also playback streaming video, when incorporating with Cayin CMS server. SMP-WEB3 can even play real-time video (AV-in) by directly connecting to a TV tuner, DVD player, camera, etc. Support most popular video codec and image file formats, such as MPEG 1/2/4, AVI, WMV 7/8/9, WMA, RAW DV, JPG, GIF, etc.</p> <p><b>Playback Management</b> Update HTML, Flash, video files, and all other content manually or automatically over the network according to the pre-set schedule. Able to playback HTML files from the player's hard disk drive or from remote URLs. Support real-time video broadcast. Administrators can remotely assign suitable content to players located in different sites.</p> <p><b>System Management</b> Provide a web-based user interface for easy remote control of each media player.</p>	<b>Call for price</b>	
				
Y H Y N B	SMP-WEBPLUS (LB-300)	<p><b>SMP-WEBPLUS Digital Signage Media Player</b></p> <p><b>Multimedia Presentation</b> Web-based presentation; Support most popular video codec and image file formats, such as MPEG 1/2/4, AVI, WMV 7/8/9, WMA, RAW DV, JPG, GIF, etc. Support both portrait and landscape displays.</p> <p><b>Playback Management</b> Support real-time video broadcast and central content scheduling when incorporating with Cayin CMS server. Administrators can remotely assign suitable content to players located in different sites. Edit up to 10 playlists and each playlist can contain up to 99 pages of content (full screen HTML, Flash®, and full screen video or image or a mix of every type of content within one HTML). Support to detect network disconnection and automatically change to backup content.</p> <p><b>System Management</b> Provide a web-based user interface for easy remote control of each media player.</p>	<b>Call for price</b>	
				
Y H Y N B	SMP-WEBPLUS-T (LB-300)	<p><b>SMP-WEBPLUS-T Touch-enabled Digital Signage Media Player</b></p> <p><b>Multimedia Presentation</b> Web-based presentation; support most popular web languages. Support to playback HD video, Flash® animation, HTML web page, image, and text. It also supports to playback streaming video, when incorporating with CMS server. Provide the most flexibility for designers to create multimedia presentations. Support most popular video codec and image file formats, such as MPEG 1/2/4, AVI, WMV 7/8/9, WMA, RAW DV, JPG, GIF, etc.</p> <p><b>Playback Management</b> Update HTML, Flash, video files, and all other content manually or automatically over the Internet according to the pre-set schedule. Able to open HTML files from the player's hard disk drive or from remote URLs. Support real-time video broadcast and central content scheduling when incorporating with Cayin CMS server. Administrators can remotely assign suitable content to players located in different sites.</p> <p><b>System Management</b> Provide a web-based user interface for easy remote control of each media player. Provide log function which can recording the status of system, network, media player, and playback for management and analysis purposes. Support system recovery function.</p>	<b>Call for price</b>	
				
Y H Y N B	SMP-WEBPLUS (LB-500)	<p><b>SMP-WEBPLUS Digital Signage Media Player</b></p> <p><b>Multimedia Presentation</b> Web-based presentation; support most popular web languages. Support most popular video codec and image file formats, such as MPEG 1/2/4, AVI, WMV 7/8/9, WMA, RAW DV, JPG, GIF, etc. Support both portrait and landscape displays.</p> <p><b>Playback Management</b> Able to open HTML files from the player's hard disk drive or from remote URLs. Support real-time video broadcast and central content scheduling when incorporating with Cayin CMS server. Administrators can remotely assign suitable content to players located in different sites.</p> <p><b>System Management</b> Provide a web-based user interface for easy remote control of each media player.</p>	<b>Call for price</b>	
				
Y H Y N B	SMP-WEBDUO	<p><b>SMP-WEBDUO Web-Based Digital Signage Media Player.</b></p> <p><b>Multimedia Presentation</b> SMP-WEBDUO, the web-based digital signage player, features an embedded web browser; hence it provides the most flexibility for designers to create multimedia presentations. Support to playback 1080p Full HD video, Flash® animation, HTML web page, image, text, two videos, and even streaming video, while incorporating with CMS server. Easily extend to an interactive platform incorporating with keyboard, or mouse device. Provide great flexibility to integrate with existing network facilities and database. Support most popular video codec and image file formats MPEG 1/2/4, AVI, WMV 7/8/9, WMA, MP3, RAW DV, JPG, GIF, etc.</p> <p><b>More Flexible Combinations of Displays</b> Support various resolutions both for standard and wide screens, such as 640x480, 800x600, 1024x768, 1152x864, 1280x1024, 1600x1200, 1280x720 (720p), 1280x768, 1360x768, 1366x768, 1368x768, 1600x900, 1680x1050, 1920x1080, 1920x1200. You can even define a suitable resolution by yourself to match your screen. Support both single and dual display on portrait and landscape screens.</p> <p><b>Powerful Remote Management</b> Administrators can manage each player remotely via wired/wireless network.</p> <p><b>Content Update</b> Update multimedia contents by FTP, Network Neighborhood, or by CAYIN CMS server with automatic centralized content update according to the pre-set schedule through LAN or the Internet.</p>	<b>Call for price</b>	
				

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
<b>SERVERS</b>				
Y H Y N B	CMS-Mini	<p><b>CMS-Mini Content Management server</b> Compact and reliable dedicated digital signage server for efficient media player management, content update, central scheduling, and streaming broadcast. Support 1 video signal per server.</p> <p><b>Media Player Management</b> Provide a complete media player list, detailing all media players controlled by CMS server. Create media player groups for easy management. Remotely manage media players in two major aspects: content update and play-list scheduling.</p> <p><b>Content Update</b> Update and synchronize content automatically to all media players in groups. Synchronize playlists, skin (theme image), and all multimedia content from the server to media players. Support to create folders and sub-folders to store and organize multimedia content. Support to upload contents by FTP and Network Neighborhood. Support to update contents to max. 40 players simultaneously.</p> <p><b>Central Scheduling</b> Centrally control playlists of all media players in groups. Edit playlists of video, image, ticker, and skin files for SMP-PRO series. Edit playlists of video and web play-list for SMP-WEB series. Schedule playlists by minutes, by specific day(s), by week</p> <p><b>RTB (Real Time Broadcast)</b> Assign each video signal (NTSC and PAL) to a particular channel. Real-time video/audio signal transcoding and broadcasting.</p>		<b>Call for price</b>
				
				
Y H Y N B	CMS-PERF4	<b>Content Management server</b>		<b>Call for price</b>
Y H Y N B	CMS-PERF8	<p><b>CMS-Perf 8-Performance Content Management server</b></p> <p><b>Media Player Management</b> Provide a complete media player list, detailing all media players controlled by CMS server. Create media player groups for easy management. Remotely manage media players in two major aspects: content update and play-list scheduling.</p> <p><b>Content Update</b> Update, synchronize, and automatically distribute content to all media players by groups. Synchronize playlists, skin (theme image), and all multimedia content from the server to media players. Secure the access to Web Manager and Media Folder by username and password. Support to create sub-folders to store and organize multimedia content.</p> <p><b>Central Scheduling</b> Centrally control playlists of all media players in groups. Edit playlists of video, image, ticker, and skin files for SMP-PRO series.</p>		<b>Call for price</b>
				
				
<b>SOFTWARE ONLY</b>				
Y H Y N B	SR1	<b>Super Reporter - Easily Generate Reports and Analyze the Operation of Hundreds of Media Players</b>		<b>Call for price</b>
Y H Y N B	SR3	<b>Super Reporter - Easily Generate Reports and Analyze the Operation of Hundreds of Media Players</b>		<b>Call for price</b>
Y H Y N B	SR10	<b>Super Reporter - Easily Generate Reports and Analyze the Operation of Hundreds of Media Players</b>		<b>Call for price</b>
Y H Y N B	SM(ISN)	<b>Super Monitor - Monitor multiple projects, servers, and players centrally from your own PC</b>		<b>Call for price</b>
Y H Y N B	SM(SAL)	<b>Super Monitor - Monitor multiple projects, servers, and players centrally from your own PC</b>		<b>Call for price</b>
Y H Y N B	xPost standart	<p>xPost, At current stage, xPost features three main modules, including <b>lobbyPost</b>, <b>meetingPost</b>, and <b>wayfinderPost</b>, aiming to particularly meet the needs of hotels and convention centers worldwide.</p> <p><b>lobbyPost</b> is the application software especially designed for lobby digital signage. The software can be used to easily display advertisements, corporate image video, guest room tariff, and currency exchange rate.</p> <p><b>meetingPost</b> is dedicated to the needs of meeting rooms and banquet halls that require flexible arrangement on the meeting schedule as well as frequent update on information post.</p> <p><b>wayfinderPost</b> is the application software that CAYIN especially develops for public spaces where conveying announcements, promoting events, and direction guiding frequent and crucial.</p>		<b>Call for price</b>
				
Y H Y N B	MeetingPost Licence	<p><b>meetingPost - CAYIN's smarter meetingPost system now allows you to change meeting schedules within an instant. Digital signage system dedicated to meeting room management</b></p> <p>CAYIN's meetingPost is dedicated to the needs of meeting rooms and banquet halls that require flexible arrangement on the meeting schedule as well as frequent update on information post. meetingPost is designed to cooperate with CAYIN SMP-WEB series. By integrating its function of meeting management, meetingPost can be used to substitute traditional paper signs, displaying real-time information of the event on the monitor outside each meeting room/banquet hall.</p>		<b>Call for price</b>
				
Y H Y N B	LobbyPost Licence	<p><b>Content Creation Software for Lobby Digital Signage, Dedicated lobby digital signage system.</b> lobbyPost is application software especially designed for lobby digital signage, such as for administrations of hotel and convention center to communicate with guests in lobbies. Powered by lobbyPost's content and managerial tools, the software, incorporating with CAYIN SMP-WEB series players, can be used to easily display advertisements, room types and tariff, currency exchange rate, weather and more information.</p>		<b>Call for price</b>
				
Y H Y N B	WayfinderPost Licence	<p><b>wayfinderPost</b> is application software that CAYIN especially develops for public spaces where conveying announcements, promoting events, and guiding directions are frequent and crucial. This software is designed to cooperate with CAYIN SMP-WEB series products. By integrating wayfinderPost's editing and managerial functions, CAYIN's digital signage player can present dynamic public announcements and direction guidance more easily.</p> <p><b>Pre-designed templates for instant adoption</b> wayfinderPost provides various pre-designed templates both in portrait and landscape displays that allow users to adopt easily and quickly. Users can also change logo, background image, as well as font color and size of the text according to their particular needs.</p> <p><b>Build-in useful icons of your choices.</b> <b>Ability to add maximum 255 wayfinding screens according to the range of software license.</b></p>		<b>Call for price</b>
	